AUTHOR INDEX

Volume 60 • 1992

Abe, A. and Karaki, H.
1,9-Dideoxyforskolin on smooth muscle 389
Abe, E. *See* Masuda, Y.
Abe, Y. *See* Shoji, T.
Adachi, H. *See* Kodama, K.
Aishita, H. *See* Nakagawa, N.
—— *See* Obata, Takaaki
Aizu, E., Yamamoto, S. and Kato, R.
PGE_2 release by TPA and anthralin 9
Aki, Y. *See* Shoji, T.
Akopov, S.E. *See* Gabrielian, E.S.
Ando, T. *See* Tobetto, K.
Aoki, T. *See* Kamei, J.
Arai, N. *See* Suzawa, H.
Araki, Y. *See* Gomita, Y.
Asakura, K., Ikeda, H. and Gemba, M.
Postischemic injury to renal slices 149
Ayajiki, K., Okamura, T. and Toda, N.
NO and histamine-induced relaxation 357

Chibana, T. *See* Noguchi, K.
Chikahisa, L. *See* Oyama, Y.
Chiueh, C.C. *See* Obata, Toshio
Conti, M., Malandrino, S. and Magistretti, M.J.
Activity of silipide on liver damage 315

Ebihara, A. *See* Fujimura, A.
Egashira, T. *See* Kudo, Y.

Fujimura, A., Shiga, T., Ohashi, K. and Ebihara, A.
Chronopharmacology of furosemide 153
Fujimura, A., Shiga, T., Sudoh, T., Ohashi, K. and Ebihara, A.
Daily variation and furosemide 323
Fujisawa, Y. *See* Shoji, T.
Fukagawa, Y. *See* Kamei, H.
Fukuda, H. *See* Satoh, M.
Furuno, K. *See* Gomita, Y.
Furuta, K. *See* Hattori, T.
Fusamoto, H. *See* Kawano, S.

Gabrielian, E.S., Akopov, S.E., Grigorian, M.R. and
Toumasian, K.S.
Neurotropin effects on cerebral injuries 51
Gemba, M. *See* Asakura, K.
Gomi, Y. *See* Suzuki, N.
Gomita, Y., Furuno, K., Yoshida, T., Oishi, R., Saeki, K. and
Araki, Y.
Indomethacin plasma concentrations and smoking 281
Goto, Y. *See* Yamasaki, K.
Grigorian, M.R. *See* Gabrielian, E.S.

Hata, F. *See* Takeuchi, T.
Hattori, K. *See* Shikimi, T.
Hattori, T., Furuta, K., Hayashi, K., Nagamatsu, T., Ito, M. and
Suzuki, Y.
Effect of OB-5 on anti-GBM nephritis 187
Hayaishi, M. *See* Tobetto, K.
Hayashi, A. *See* Oyama, Y.
Hayashi, H. *See* Oyama, Y.
Hayashi, K. *See* Hattori, T.
Hayashi, N. *See* Kawano, S.
He, H. *See* Shoji, T.
Hidaka, T. *See* Suzuki, K.
Hirobe, M. *See* Satoh, M.
Hitosugi, H. *See* Kamei, J.
Horiba, M. *See* Watanabe-Kohno, S.
Horisaka, K. *See* Sugimoto, Y.
Horiuchi, K. *See* Shoji, T.

Ichikawa, K. *See* Suzawa, H.
Ikeda, H. *See* Asakura, K.
Ishikawa, M. *See* Sakitama, K.
Isohama, Y. *See* Kai, H.
Ito, M. *See* Hattori, T.
Itoh, T. *See* Masuda, Y.
Iwamoto, Y. *See* Kamei, J.
Iwao, H. *See* Shoji, T.

Kai, H., Kimoto, A., Yoshitake, K., Matsumoto, S.,
Isohama, Y., Takahama, K. and Miyata, T.
Mg^{2+} and glycoconjugates sulfation 247
Kamada, T. *See* Kawano, S.
Kamei, C., Mukai, T. and Tasaka, K.
Histamine-induced depolarization 179
Kamei, H., Ueki, T., Obi, Y., Fukagawa, Y. and Oki, T.
Anti-amnesic activity of eurystatins A and B 377
Kamei, J., Aoki, T., Hitosugi, H., Iwamoto, Y. and Kasuya, Y.
VB neurons and morphine in diabetic rats 133
Kaneto, H. *See* Tokuyama, S.
Karaki, H. *See* Abe, A.
—— *See* Satoh, T.
Kasuya, Y. *See* Kamei, J.
Kato, H. *See* Kurihara, J.
Kato, R. *See* Aizu, E.
Katori, M. *See* Shima, C.
Kawagoe, M. *See* Suzuki, K.
Kawaguchi, Y. *See* Suzuki, K.
Kawakami, M. *See* Suzuki, K.
Kawano, S., Hayashi, N., Tsuji, S., Fusamoto, H. and
Kamada, T.
Cetraxate and gastric hemodynamics 39
Kikuchi, S. *See* Suzawa, H.
Kimoto, A. *See* Kai, H.
Kimura, Ikuko *See* Kimura, M.
—— *See* Kobayashi, S.
Kimura, Ikuko *See* Sugimoto, Y.
Kimura, Ikuko, Nagaura, T., Kobayashi, S. and Kimura, M.
Compounds from *Shin-i* inhibit EC growth 59
Kimura, Ikuko, Nagaura, T., Naitoh, T., Kobayashi, S. and
Kimura, M.
Heparin inhibits progression phase of EC 369
Kimura, M. *See* Kimura, Ikuko
—— *See* Kobayashi, S.
Kimura, M., Kimura, Ikuko, Muroi, M., Tanaka, K.,
Nojima, H. and Uwano, T.
Potentiation of PMBA-block by β-eudesmol 19

Kishioka, S., Morita, N., Kitabata, Y., Yamanishi, T., Miyamoto, Y., Ozaki, M. and Yamamoto, H.
Dynorphin effects on morphine actions 197
Kita, T. *See* Okamoto, M.
Kitabata, Y. *See* Kishioka, S.
Kiyomoto, H. *See* Shoji, T.
Kobayashi, S. *See* Kimura, Ikuko
Kobayashi, S., Mimura, Y., Notoya, K., Kimura, Ikuko and Kimura, M.
Antiproliferation by cnidium compounds 397
Kobayashi, T. *See* Nakagawa, N.
Koda, A. *See* Suzawa, H.
Kodama, K., Adachi, H., Ogawa, T. and Ohhara, H.
E4080 on myocardial ischemia 73
Kodama, K., Shibata, S. and Ueki, S.
Neuroprotective effect of minaprine 33
Kojima, C. *See* Satoh, M.
Kokubu, N., Satoh, M. and Takayanagi, I.
GTP and phenoxybenzamine as α_{1B}-inhibitor 299
Kontani, H., Maruyama, I. and Sakai, T.
Sacral micturition center in rats 363
Kubota, K. *See* Takahashi, Masanori
—— *See* Uruno, T.
Kudo, Y., Egashira, T. and Yamanaka, Y.
Ulinastatin in liver ischemia 239
Kurebayashi, Y. *See* Tabuchi, Y.
Kuribara, H. *See* Uchihashi, Y.
Kurihara, J., Tomita, H., Ochiai, N. and Kato, H.
Cerebral protection by halothane 63
Kuriki, H. *See* Satoh, T.

Magistretti, M.J. *See* Conti, M.
Majima, M. *See* Shima, C.
Malandrino, S. *See* Conti, M.
Maruyama, I. *See* Kontani, H.
Masuda, Y., Murai, S., Saito, H., Abe, E. and Itoh, T.
Delayed effect of caerulein 141
Matsuki, Y. *See* Suzuki, K.
Matsumoto, J., Ueshima, K., Ohuchi, T., Takeuchi, K. and Okabe, S.
Sensory neurons and gastric lesions 43
Matsumoto, S. *See* Kai, H.
Matsuoka, Y. *See* Uruno, T.
Matsuzaki, T. *See* Noguchi, K.
Mimura, Y. *See* Kobayashi, S.
Miyake, H. *See* Takeuchi, K.
Miyamoto, Y. *See* Kishioka, S.
Miyata, T. *See* Kai, H.
Mizukami, Y. *See* Suzuki, K.
Mori, I. *See* Tobetto, K.
Morita, N. *See* Kishioka, S.
Moriyama, T. *See* Satoh, T.
Motohashi, N. *See* Tobetto, K.
Motoishi, M. *See* Obata, Takaaki
Mukai, T. *See* Kamei, C.
Murai, S. *See* Masuda, Y.
Muroi, M. *See* Kimura, M.

Nabe, T. *See* Watanabe-Kohno, S.
Nagahamaya, K. *See* Uruno, T.
Nagamatsu, T. *See* Hattori, T.
Nagao, T. *See* Satoh, M.
Nagaura, T. *See* Kimura, Ikuko
Naitoh, T. *See* Kimura, Ikuko
Nakagawa, N. *See* Obata, Takaaki
Nakagawa, N., Obata, Takaaki, Kobayashi, T., Okada, Yutaka, Nambu, F., Terawaki, T. and Aishita, H.
A peptide leukotriene antagonist ONO-1078 217
Nakamura, H. *See* Suzuki, K.
Nakano, S. *See* Zhou, R.-H.
Nakashima, T. *See* Okamoto, M.
Nambu, F. *See* Nakagawa, N.
Niitsu, A.
Steroidogenesis by extracellular ATP 269
Nishiyama, A. *See* Shoji, T.
Noda, K. *See* Oyama, Y.
Noguchi, K., Ojiri, Y., Chibana, T., Matsuzaki, T. and Sakanashi, M.
Hemodynamic effect of U46619 and vapiprost 341
Nojima, H. *See* Kimura, M.
Notoya, K. *See* Kobayashi, S.

Obata, Takaaki *See* Nakagawa, N.
Obata, Takaaki, Okada, Yutaka, Motoishi, M., Nakagawa, N., Terawaki, T. and Aishita, H.
In vitro LT antagonism of ONO-1078 227
Obata, Toshio, Yamanaka, Y. and Chiueh, C.C.
Dopamine release by MPP^+ 311
Obi, Y. *See* Kamei, H.
Ochiai, N. *See* Kurihara, J.
Ogawa, T. *See* Kodama, K.
Ohashi, K. *See* Fujimura, A.
Ohata, K. *See* Watanabe-Kohno, S.
Ohhara, H. *See* Kodama, K.
Ohta, S. *See* Satoh, M.
Ohuchi, T. *See* Matsumoto, J.
—— *See* Takeuchi, K.
Oishi, R. *See* Gomita, Y.
Ojiri, Y. *See* Noguchi, K.
Okabe, S. *See* Matsumoto, J.
—— *See* Takeuchi, K.
Okada, Yuji, Yanagisawa, T. and Taira, N.
ET-1-induced Ca^{2+} sensitization and KCl 403
Okada, Yutaka *See* Nakagawa, N.
—— *See* Obata, Takaaki
Okamoto, M., Kita, T., Okuda, H., Tanaka, T. and Nakashima, T.
Acute effects of nicotine in old rats 381
Okamura, T. *See* Ayajiki, K.
Oki, T. *See* Kamei, H.
Okuda, H. *See* Okamoto, M.
Ono, H. *See* Satoh, M.
Orito, K., Satoh, K. and Taira, N.
Adenosine and ATP-sensitive K^+ channels 295
Oyama, Y., Chikahisa, L., Noda, K., Hayashi, H. and Tomiyoshi, F.
Triphenyltin on thymocytes 159
Oyama, Y., Ueha, T., Hayashi, A., Chikahisa, L. and Noda, K.
Ginkgo biloba on neuronal H_2O_2 content 385
Ozaki, M. *See* Kishioka, S.

Saeki, K. *See* Gomita, Y.
Saito, H. *See* Masuda, Y.
Sakai, T. *See* Kontani, H.
Sakanashi, M. *See* Noguchi, K.
Sakitama, K. and Ishikawa, M.

Morphine and mephenesin on flexor reflex 127
Satoh, K. *See* Orito, K.
Satoh, M. *See* Kokubu, N.
Satoh, M. and Takayanagi, I.
α_{2D}-Adrenoceptor subtype in trachea 393
Satoh, M., Kojima, C. and Takayanagi, I.
α_1-Adrenoceptor subtypes and contraction 169
Satoh, M., Ohta, S., Nagao, T., Hirobe, M., Fukuda, H. and Ono, H.
Amphetamine and noradrenaline release 121
Satoh, T., Moriyama, T., Kuriki, H. and Karaki, H.
Reserpine on smooth muscle contractility 291
Sekiyama, Y. *See* Suzuki, K.
Shibata, S. *See* Kodama, K.
Shiga, T. *See* Fujimura, A.
Shikimi, T., Hattori, K. and Takaori, S.
Urinastatin-like substance in rat brain 97
Shima, C., Majima, M. and Katori, M.
A stable metabolite of kinin in plasma 111
Shinogi, M. *See* Tobetto, K.
Shirane, M. *See* Uruno, T.
Shoji, T., Aki, Y., Horiuchi, K., Tamaki, T., He, H., Nishiyama, A., Kiyomoto, H., Fujisawa, Y., Iwao, H. and Abe, Y.
Hemodynamic effects of betaxolol 253
Sudoh, T. *See* Fujimura, A.
Sugawara, H. *See* Takeuchi, K.
Sugaya, K. *See* Takahashi, Masanori
Sugimoto, Y., Yamada, J., Kimura, Ikuko, Watanabe, Y. and Horisaka, K.
Buspirone and pancreatic hormones 145
Sunagane, N. *See* Uruno, T.
Suzawa, H., Kikuchi, S., Arai, N. and Koda, A.
Tranilast and fibroblast collagen synthesis 91
Suzawa, H., Kikuchi, S., Ichikawa, K. and Koda, A.
Tranilast against cytokine release 85
Suzuki, K., Takahashi, K., Matsuki, Y., Kawakami, M., Kawaguchi, Y., Hidaka, T., Sekiyama, Y., Mizukami, Y., Kawagoe, M. and Nakamura, H.
Lipid microspheres and endothelial cells 349
Suzuki, N. and Gomi, Y.
Strech receptors for peristalsis 261
Suzuki, Y. *See* Hattori, T.

Tabuchi, Y. and Kurebayashi, Y.
Effect of DS-4574 on gastric ulcers 335
Tadokoro, S. *See* Uchihashi, Y.
Taha, S.A.
Mechanism of ambrein antinociception 67
Taira, N. *See* Okada, Yuji
—— *See* Orito, K.
Takahama, K. *See* Kai, H.
Takahashi, K. *See* Suzuki, K.
Takahashi, Masakatsu *See* Tokuyama, S.
Takahashi, Masanori, Sugaya, K. and Kubota, K.
Kangenkaryu prevents cholinergic deficit 307
Takaori, S. *See* Shikimi, T.
Takayanagi, I. *See* Kokubu, N.
—— *See* Satoh, M.
Takeuchi, K. *See* Matsumoto, J.
Takeuchi, K., Ohuchi, T., Miyake, H., Sugawara, H. and Okabe, S.
NO inhibitor on alkaline secretion 303
Takeuchi, T., Hata, F. and Yagasaki, O.
cAMP and ACh release from enteric neuron 327
Tamaki, T. *See* Shoji, T.
Tanaka, K. *See* Kimura, M.
Tanaka, T. *See* Okamoto, M.
Tasaka, K. *See* Kamei, C.
Terawaki, T. *See* Nakagawa, N.
—— *See* Obata, Takaaki
Tobetto, K., Yasui, T., Ando, T., Hayaishi, M., Motohashi, N., Shinogi, M. and Mori, I.
Hyaluronan and arachidonic acid release 79
Toda, N. *See* Ayajiki, K.
Tokuyama, S., Takahashi, Masakatsu and Kaneto, H.
Participation of GABA systems on SIAs 105
Tomita, H. *See* Kurihara, J.
Tomiyoshi, F. *See* Oyama, Y.
Toumasian, K.S. *See* Gabrielian, E.S.
Tsuji, S. *See* Kawano, S.
Tsunematsu, R. *See* Uruno, T.
Tsutsumi, K. *See* Zhou, R.-H.

Uchihashi, Y., Kuribara, H. and Tadokoro, S.
Ambulation-increasing effect of ketamine 25
Ueha, T. *See* Oyama, Y.
Ueki, S. *See* Kodama, K.
Ueki, T. *See* Kamei, H.
Ueshima, K. *See* Matsumoto, J.
Uruno, T., Shirane, M., Wada, K., Tsunematsu, R., Nagahamaya, K., Matsuoka, Y., Sunagane, N. and Kubota, K.
Mechanisms of action of tiropramide 275
Uwano, T. *See* Kimura, M.

Wada, K. *See* Uruno, T.
Watanabe, Y. *See* Sugimoto, Y.
Watanabe-Kohno, S., Yamamura, H., Nabe, T., Horiba, M. and Ohata, K.
A potent peptide leukotriene antagonist 1
Watanabe-Kohno, S., Yasui, K., Nabe, T., Yamamura, H., Horiba, M. and Ohata, K.
Role of p-LTs in pulmonary anaphylaxis 209

Yagasaki, O. *See* Takeuchi, T.
Yamada, J. *See* Sugimoto, Y.
Yamamoto, H. *See* Kishioka, S.
Yamamoto, S. *See* Aizu, E.
Yamamura, H. *See* Watanabe-Kohno, S.
Yamanaka, Y. *See* Kudo, Y.
—— *See* Obata, Toshio
Yamanishi, T. *See* Kishioka, S.
Yamasaki, K. and Goto, Y.
Inhibition of vagal efferent discharges 55
Yanagisawa, T. *See* Okada, Yuji
Yasui, K. *See* Watanabe-Kohno, S.
Yasui, T. *See* Tobetto, K.
Yoshida, T. *See* Gomita, Y.
Yoshitake, K. *See* Kai, H.

Zhou, R.-H., Tsutsumi, K. and Nakano, S.
Non-drug factors and drug kinetics 287

SUBJECT INDEX

Volume 60 • 1992

Acetylcholine 33
Acetylcholine release 327
Acute tolerance 197
Adenosine-induced vasodepression 295
Adipocytes 179
α_2-Adrenoceptor 393
α_1-Adrenoceptor subtype 169, 299
Adrenocortical fasciculata cell 269
Afferent fiber (group II) 127
Aging 381
Alzheimer's disease 307
Ambrein 67
Ambulation-increasing effect 25
Amikacin 153
Analgesia 133
Anaphylaxis 209
Anthralin 9
Anti-amnesic activity 377
Anti-asthma agent 227
Anti-proliferative effect 369
Antinociception 67, 197
Arachidonic acid release 79
Atenolol 253
ATP 269
ATP-sensitive K^+ channel 295

Baclofen 55, 105
Betaxolol 253
Bicuculline 105
Blood cell 51
Bradycardic agent 73
Bradykinin 111
Brain (rat) 97
Brain neuron 385
Bronchoconstriction 217
Bronchus 209
Buspirone 145

Ca^{2+} sensitivity 403
Caerulein 141
Calcium 269
Capsaicin-sensitive sensory neuron 43
Cerebral artery (monkey) 357
Cerebral ischemia 63
Cerebrovascular injury 51
Cetraxate 39
Chinese traditional medicine 307
Chondroitin sulfate 247
Chronopharmacology 153
Cigarette smoke 281
Cimetidine 335
Clonidine 363
Collagen synthesis 85, 91
Contraction 275
Coronary vasodilator 73
Corticosterone 381
Crescent formation 187
Cyclic AMP 179, 275, 327
Cyclooxygenase 9
Cytokine 91
Cytoplasmic free Ca^{2+} 275
Cytosolic Ca^{2+} level 389
Cytotoxicity 159

Daily variation 323
2-Deoxy-D-glucose 43
2-Deoxyglucose uptake 33
Depolarization 179
Diabetes 133
Diabetic mice 19
1,9-Dideoxyforskolin 389
Diphenyltin 159
Diuretic effect 323
Dopaminergic system 25
Drug-delivery system 349
DS-4574 (6-(2-cyclohexylethyl)-[1,3,4]-thiadiazolo[3,2-*a*]-1,2,3-triazolo[4,5-*d*]-pyrimidine-9(3*H*)-one) 335
Dynorphin-(1–13) 197

E4080 ((*E*)-*N*-[3-((*N*'-(2-(3,5-dimethoxyphenyl)ethyl)-*N*'-methyl)amino)propyl]-4-(4-(1*H*-imidazol-1-yl)-phenyl)-3-butenamid·2HCl·$2H_2O$) 73
Endothelial cell 349, 369
Endothelial cell proliferation 59
Endothelin-1 403
Endothelium 357
Epidermal cell 9
β-Eudesmol 19
Eurystatins A and B 377

Flavonoids 315
Flexor reflex 127
Flow cytometry 349
Forskolin 327
FPL55712 (sodium 7-[3-(4-acetyl-3-hydroxy-2-propylphenoxy)-2-hydroxypropoxy]-4-oxo-8-propyl-4*H*-1-benzopyran-2-carboxylate) 1, 217, 227
Full agonist 169
Fura-2-Ca^{2+} signal 291
Furosemide 153, 323

G protein 299
GABA 55, 105
Gastric acid secretion 335
Gastric lesion 43
Gastric mucosal hemodynamics 39
Gastric mucosal oxygenation 39
Gastric ulcer 335
Ginkgo biloba extract 385
Glibenclamide 295
Glucagon 145
Glyceraldehyde-3-phosphate dehydrogenase 97
Grooming behavior 141

Halothane 63
HCO_3^- secretion 303
Heparin 369
Hepatic intoxication 315
Hippocampus 33
Histamine 179, 357
Histamine H_1-receptor subtype 357
5-HT 67
Hyaluronan 79
Hydrogen peroxide 385

Ileum 261
Indomethacin 281
Interleukin (IL)-1β 85
Intracellular Ca^{2+} 159
Ischemia 33
Ischemia-reperfusion 239
Ischemic kidney 149

KCl-depolarization 403
Keloid fibroblast 91
Ketamine 25
Kininases 111

Leukotriene (peptide) 1, 209, 217, 227
Leukotriene antagonist (peptide) 227
Ligustilide 397
Lipid microsphere 349
Lipid peroxidation 149, 239
Liver protective activity 315
Lung parenchyma 209

Macrophage 85
Magnesium dependency 247
MCI-826 ((*E*)-2,2-diethyl-3'-[2-[2-(4-isopropyl)thiazolyl]ethenyl]succinanilic acid sodium salt) 1, 209
Membrane stabilization 239
Mephenesin 127
Methamphetamine 121
1-Methyl-4-phenylpyridinium ion (MPP^+) 311
Microsphere 253
Monoamine oxidase (B-form) 311
Monophenyltin 159
Morphine 127, 133
Morphine analgesia 197
Mucosa 261
Muscimol 105
Myenteric plexus 327

Neolignan-derivatives (magnoshinin and magnosalin) 59
Neuromuscular blockade 19
Neurotropin 51
Nicotine-induced convulsion 381

Nitric oxide 357
Nitric oxide synthase inhibitor 303
Noradrenaline 67
Noradrenaline release 121
Nucleus basalis magnocellularis lesion 307

ONO-1078 (4-oxo-8-[4-(4-phenylbutoxy)-benzoylamino]-2-(tetrazol-5-yl)-4*H*-1-benzopyran hemihydrate) 217, 227
Opioid receptor 67
Oxidative injury 149

Parkinsonism 311
Partial agonist 169
Passive targeting 349
Peristalsis 261
Phellodendrine 187
Phenoxybenzamine 299
4-Phenyl-1,2,3,4-tetrahydroisoquinoline 121
β-Phenyl-β-alanine (BPBA) 55
p-Phenylene-polymethylene bis-ammonium 19
Phorbol ester 9
Plasma (human) 111
Plasma concentration 281
Polymorphonuclear leukocyte 239
Prolyl endopeptidase inhibition 377
Prostaglandin 327
Prostaglandin E_2 release 9
Purinoceptor 269

Reflectance spectrophotometry system 39
Regional hemodynamics 253
Regional vascular resistance 341
Renal damage 153
Reserpine 291

Sacral micturition center (rat) 363
Senkyunolides (H and A) 397
Serotonin 33
Serotonin$_{1A}$ receptor 145
Shimotsu-to 397
Silipide (IdB 1016) 315
Silybin 315
Single cell 393
SKF 38393 ((±)-1-phenyl-2,3,4,5-tetrahydro-(1*H*)-3-benzazepine-7,8-diol hydrochloride) 141
Smooth muscle 291
Social isolation 287
Spinal cord 121
Spontaneously hypertensive rat 253
ST segment elevation 73
Steroidogenesis 269
Stomach 303
Stress induced analgesia (SIA) 105
Stretch receptor 261
Sulfated glycoconjugates secretion 247
Synovial cell 79

Theophylline 287
Thoracic aorta (rabbit) 169
Timing of drug administration 287
Tiropramide 275
Trachea (guinea pig) 1, 393
Trachea (rabbit) 247
Tranilast 85, 91
Transforming growth factor (TGF)-β_1 85, 91
Triphenyltin 159

U46619 ((15*S*)-hydroxy-11α,9α-(epoxymethano)prosta-5*Z*,13*E*-dienoic acid) 341
Ulinastatin 97, 239
Urinary bladder (rat) 275, 363
Urinary NAG (*N*-acetyl-β-D-glucosaminidase) 153
Urinary trypsin inhibitor (human) 97
Urinastatin *See* Ulinastatin

Vagal baroreflex 63
Vapiprost 341
Vascular permeability 217
Vascular smooth muscle 389
Vasoconstriction 341
Vasopressin 73
Ventrobasal thalamic neuron 133

Yohimbine 363